



UNITED STATES PATENT AND TRADEMARK OFFICE

cen
UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/675,363	09/30/2003	Pierre Colin	11091	5978
26890	7590	11/28/2007		
JAMES M. STOVER TERADATA CORPORATION 1700 SOUTH PATTERSON BLVD, WHQ5 DAYTON, OH 45479			EXAMINER CHU, WUTCHUNG	
			ART UNIT	PAPER NUMBER
			2619	
			MAIL DATE	DELIVERY MODE
			11/28/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/675,363

Applicant(s)

COLIN ET AL.

Examiner

Wutchung Chu

Art Unit

2619

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 24 August 2007.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-24 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-24 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 8/24/2007 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____

DETAILED ACTION

Response to Amendment

1. This communication is in response to application's amendment filed on 8/24/2007. Claims 1-24 are pending.

Claim Rejections - 35 USC § 103

2. The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claims 1, 3, 4, 6, 8, 9, 11-12, 14, 16, 17, 19, 20, 22, and 24 are rejected under 35 U.S.C. 103(a) as being unpatentable over Somekh et al., hereinafter Somekh, (US2003/0123466).

Regarding claim 1, Somekh discloses a modem relay over packet based network (**see Somekh paragraph 21**) comprising:

- (a) transmitting data packages (**see Somekh paragraph 217 data packets**) from a plurality of data sources (**see Somekh figure 11 box 524**) in a first computer network to a first gateway (**see Somekh paragraph 217 gateway and figure 7 box 36a**);
- (b) transmitting the data packages from the first gateway to a second gateway (**see Somekh paragraph 217 data signals received by gateways 36a and 36b are optionally forwarded to the other gateway in data packets**);
- (c) transmitting the data packages from the second gateway to a plurality of data destinations (**see Somekh figure 14 box 812 and paragraph 217**) in a second computer network(**see Somekh paragraph 217 gateway and figure 7 box 36b**);
- (d) transmitting acknowledgement messages from the data destinations to the second gateway (**see Somekh paragraph 226 modem 32b will respond with frames to each frame transmitted by gateway**);
- (f) transmitting the pause messages from the second gateway to the first gateway (**see Somekh paragraph 218 gateway optionally notify each other on reception of a break frame by transmitting a break packet which states the reception of the break frame**).

Art Unit: 2619

Somekh teaches (e) generating pause messages at the second gateway (**see Somekh paragraph 218 gateway optionally notify each other on reception of a break frame by transmitting a break packet which states the reception of the break frame**) and reception of acknowledgement messages by the second gateway (**see Somekh paragraph 218 reception of the break frame**) and disclose all the subject matter of the claimed invention with the exception of based at least in part on the reception of acknowledgement messages by the second gateway.

Although Somekh does not specifically state that the gateway generates break packet upon receiving at least in part of acknowledge messages, Somekh teaches the gateway receiving the break frame notifies the other gateway (**see Somekh paragraph 218**). Meanwhile the gateway receiving break frame from modem, it generates break packet as notification to other gateway; therefore gateway does not wait for all acknowledgement messages to come back before generating and sending break packet to other gateway.

It would have been obvious to the one of the ordinary skill in the art at the time when the invention was made to include receiving the break frame notifies the other gateway, which is gateway does not wait for all acknowledgement messages to come back before generating and sending break packet to other gateway, in order to implement provisioning that data transmitted is properly received (**see Somekh paragraph 13**).

Regarding claim 3, Somekh teaches further comprising the step of: (g) transmitting the pause messages from the first gateway (**see Somekh paragraph 218 the gateway receiving the break packet transmits a respective break frame on its modem connection**) and disclose all the subject matter of the claimed invention with the exception of to the plurality of data sources. Although Somekh does not specifically states transmitting break packet to the plurality of data source, Somekh includes a plurality of customers (**see Somekh paragraph 258 a plurality of customers and figure 11 box 524**), and it would have been obvious to one of the ordinary skill in the art at the time when the invention was made to include transmitting break packets to plurality of customers in order to implement provisioning that data transmitted is properly received (**see Somekh paragraph 13**).

Regarding claim 4, Somekh teaches step (a) is performed by a plurality of sending tasks created by the data sources (**see Somekh paragraph 258 a plurality of customers, and transmit to each other signals they receive on their twisted pairs and figure 11 box 524**).

Regarding claim 6, Somekh teaches the first gateway includes an input task and an output task, the second gateway includes an input task and an output task,

step (b) is performed by the output task of the first gateway (**see Somekh paragraph 217 data signals received by gateways 36a and 36b are optionally forwarded to the other gateway in data packets**),

steps (c) and (e) are performed by the input task of the second gateway (**see Somekh paragraph 217 data signals received by gateways 36a and 36b are optionally forwarded to the other gateway in data packets**), and

step (f) comprises transmitting the pause messages from the output task of the second gateway to the input task of the first gateway (**see Somekh paragraph 218 gateway optionally notify each other on reception of a break frame by transmitting a break packet which states the reception of the break frame**).

Regarding claim 8, Somekh teaches further comprising the steps of:

(g) sending messages with data package transfer information from the data sources to the first gateway (**see Somekh paragraph 258 a plurality of customers, and transmit to each other signals they receive on their twisted pairs and figure 11 box 524**);

(h) sending a message with the data package transfer information from the first gateway to the second gateway (**see Somekh paragraph 217 data signals received by gateways 36a and 36b are optionally forwarded to the other gateway in data packets**);

(i) sending messages with the data package transfer information from the second gateway to the data destinations (**see Somekh figure 14 box 812 and paragraph 217**); and

(j) checking the data package transfer information at the data destinations (**see Somekh paragraphs 291 and 293**).

Regarding claim 9, Somekh teaches computer program, stored on a tangible storage medium, for transferring data between computer systems, the program including executable instructions (**see Somekh paragraph 261 software**) that cause one or more computers to:

(a) transmitting data packages (**see Somekh paragraph 217 data packets**) from a plurality of data sources (**see Somekh figure 11 box 524**) in a first computer network to a first gateway (**see Somekh paragraph 217 gateway and figure 7 box 36a**);

(b) transmitting the data packages from the first gateway to a second gateway (**see Somekh paragraph 217 data signals received by gateways 36a and 36b are optionally forwarded to the other gateway in data packets**);

(c) transmitting the data packages from the second gateway to a plurality of data destinations (**see Somekh figure 14 box 812 and paragraph 217**) in a second computer network(**see Somekh paragraph 217 gateway and figure 7 box 36b**);

(d) transmitting acknowledgement messages from the data destinations to the second gateway (**see Somekh paragraph 226 modem 32b will respond with frames to each frame transmitted by gateway**);

Art Unit: 2619

(f) transmitting the pause messages from the second gateway to the first gateway (**see Somekh paragraph 218 gateway optionally notify each other on reception of a break frame by transmitting a break packet which states the reception of the break frame**).

Somekh teaches (e) generating pause messages at the second gateway (**see Somekh paragraph 218 gateway optionally notify each other on reception of a break frame by transmitting a break packet which states the reception of the break frame**) and reception of acknowledgement messages by the second gateway (**see Somekh paragraph 218 reception of the break frame**) and disclose all the subject matter of the claimed invention with the exception of based at least in part on the reception of acknowledgement messages by the second gateway.

Although Somekh does not specifically state that the gateway generates break packet upon receiving at least in part of acknowledge messages, Somekh teaches the gateway receiving the break frame notifies the other gateway (**see Somekh paragraph 218**). Meanwhile the gateway receiving break frame from modem, it generates break packet as notification to other gateway; therefore gateway does not wait for all acknowledgement messages to come back before generating and sending break packet to other gateway.

It would have been obvious to the one of the ordinary skill in the art at the time when the invention was made to include receiving the break frame notifies the other gateway, which is gateway does not wait for all acknowledgement messages to come back before generating and sending break packet to other gateway, in order to

implement provisioning that data transmitted is properly received (**see Somekh paragraph 13**).

Regarding claim 11, Somekh teaches software (**see Somekh paragraph 261 software**) and further comprising the step of: (g) transmitting the pause messages from the first gateway (**see Somekh paragraph 218 the gateway receiving the break packet transmits a respective break frame on its modem connection**) and disclose all the subject matter of the claimed invention with the exception of to the plurality of data sources. Although Somekh does not specifically states transmitting break packet to the plurality of data source, Somekh includes a plurality of customers (**see Somekh paragraph 258 a plurality of customers and figure 11 box 524**), and it would have been obvious to one of the ordinary skill in the art at the time when the invention was made to include transmitting break packets to plurality of customers in order to implement provisioning that data transmitted is properly received (**see Somekh paragraph 13**).

Regarding claim 12, Somekh teaches software (**see Somekh paragraph 261 software**) and step (a) is performed by a plurality of sending tasks created by the data sources (**see Somekh paragraph 258 a plurality of customers, and transmit to each other signals they receive on their twisted pairs and figure 11 box 524**).

Regarding claim 14, Somekh teaches software (**see Somekh paragraph 261 software**) and the first gateway includes an input task and an output task, the second gateway includes an input task and an output task,

step (b) is performed by the output task of the first gateway (**see Somekh paragraph 217 data signals received by gateways 36a and 36b are optionally forwarded to the other gateway in data packets**),

steps (c) and (e) are performed by the input task of the second gateway (**see Somekh paragraph 217 data signals received by gateways 36a and 36b are optionally forwarded to the other gateway in data packets**), and

step (f) comprises transmitting the pause messages from the output task of the second gateway to the input task of the first gateway (**see Somekh paragraph 218 gateway optionally notify each other on reception of a break frame by transmitting a break packet which states the reception of the break frame**).

Regarding claim 16, Somekh teaches software (**see Somekh paragraph 261 software**) and further comprising the steps of:

(g) sending messages with data package transfer information from the data sources to the first gateway (**see Somekh paragraph 258 a plurality of customers, and transmit to each other signals they receive on their twisted pairs and figure 11 box 524**);

(h) sending a message with the data package transfer information from the first gateway to the second gateway (**see Somekh paragraph 217 data signals received by gateways 36a and 36b are optionally forwarded to the other gateway in data packets**);

(i) sending messages with the data package transfer information from the second gateway to the data destinations (see **Somekh figure 14 box 812 and paragraph 217**); and

(j) checking the data package transfer information at the data destinations (see **Somekh paragraphs 291 and 293**).

Regarding claim 17, Somekh teaches a system (see **Somekh paragraph 130**) for storing and transferring data, the system comprising:

- a first gateway coupled to the data sources (see **Somekh figure 11 box 524 customers**);
- a second gateway coupled to the first gateway (see **Somekh figure 2 gateways box 36a and 36b**); and
- a plurality of data destination coupled to the second gateway (see **Somekh figure 14 box 812 computers**); where

(a) data packages are transmitted (see **Somekh paragraph 217 data packets**) from a plurality of data sources (see **Somekh figure 11 box 524**) to the first gateway (see **Somekh paragraph 217 gateway and figure 7 box 36a**);

(b) the data packages are transmitted from the first gateway to the second gateway (see **Somekh paragraph 217 data signals received by gateways 36a and 36b are optionally forwarded to the other gateway in data packets**);

Art Unit: 2619

(c) the data packages are transmitted from the second gateway to a plurality of data destinations **(see Somekh figure 14 box 812 and paragraph 217);**

(d) acknowledgement messages are transmitted from the data destinations to the second gateway **(see Somekh paragraph 226 modem 32b will respond with frames to each frame transmitted by gateway);**

(f) the pause messages are transmitted from the second gateway to the first gateway **(see Somekh paragraph 218 gateway optionally notify each other on reception of a break frame by transmitting a break packet which states the reception of the break frame).**

Somekh teaches (e) pause messages are generated at the second gateway **(see Somekh paragraph 218 gateway optionally notify each other on reception of a break frame by transmitting a break packet which states the reception of the break frame)** and reception of acknowledgement messages by the second gateway **(see Somekh paragraph 218 reception of the break frame)** and disclose all the subject matter of the claimed invention with the exception of based at least in part on the reception of acknowledgement messages by the second gateway.

Although Somekh does not specifically state that the gateway generates break packet upon receiving at least in part of acknowledge messages, Somekh teaches the gateway receiving the break frame notifies the other gateway **(see Somekh paragraph 218)**. Meanwhile the gateway receiving break frame from modem, it generates break packet as notification to other gateway; therefore gateway does not wait for all

Art Unit: 2619

acknowledgement messages to come back before generating and sending break packet to other gateway.

It would have been obvious to the one of the ordinary skill in the art at the time when the invention was made to include receiving the break frame notifies the other gateway, which is gateway does not wait for all acknowledgement messages to come back before generating and sending break packet to other gateway, in order to implement provisioning that data transmitted is properly received (**see Somekh paragraph 13**).

Regarding claim 19, Somekh teaches modem (**see Somekh paragraph 130**) and further comprising the step of: (g) the pause messages are transmitted from the first gateway (**see Somekh paragraph 218 the gateway receiving the break packet transmits a respective break frame on its modem connection**) and disclose all the subject matter of the claimed invention with the exception of to the plurality of data sources. Although Somekh does not specifically states transmitting break packet to the plurality of data source, Somekh includes a plurality of customers (**see Somekh paragraph 258 a plurality of customers and figure 11 box 524**), and it would have been obvious to one of the ordinary skill in the art at the time when the invention was made to include transmitting break packets to plurality of customers in order to implement provisioning that data transmitted is properly received for multiple users (**see Somekh paragraph 13**).

Regarding claim 20, Somekh modem (**see Somekh paragraph 130**) and teaches step (a) is performed by a plurality of sending tasks created by the data

Art Unit: 2619

sources **(see Somekh paragraph 258 a plurality of customers, and transmit to each other signals they receive on their twisted pairs and figure 11 box 524).**

Regarding claim 22, Somekh modem **(see Somekh paragraph 130)** and teaches the first gateway includes an input task and an output task, the second gateway includes an input task and an output task,

step (b) is performed by the output task of the first gateway **(see Somekh paragraph 217 data signals received by gateways 36a and 36b are optionally forwarded to the other gateway in data packets),**

steps (c) and (e) are performed by the input task of the second gateway **(see Somekh paragraph 217 data signals received by gateways 36a and 36b are optionally forwarded to the other gateway in data packets), and**

step (f) comprises transmitting the pause messages from the output task of the second gateway to the input task of the first gateway **(see Somekh paragraph 218 gateway optionally notify each other on reception of a break frame by transmitting a break packet which states the reception of the break frame).**

Regarding claim 24, Somekh teaches modem **(see Somekh paragraph 130)** and further comprising the steps of:

(g) sending messages with data package transfer information from the data sources to the first gateway **(see Somekh paragraph 258 a plurality of customers,**

and transmit to each other signals they receive on their twisted pairs and figure 11 box 524);

(h) sending a message with the data package transfer information from the first gateway to the second gateway **(see Somekh paragraph 217 data signals received by gateways 36a and 36b are optionally forwarded to the other gateway in data packets);**

(i) sending messages with the data package transfer information from the second gateway to the data destinations **(see Somekh figure 14 box 812 and paragraph 217);** and

(j) checking the data package transfer information at the data destinations **(see Somekh paragraphs 291 and 293).**

5. Claims 2, 7, 10, 15, 18, and 23 are rejected under 35 U.S.C. 103(a) as being unpatentable over Somekh in view of Janakiraman et al., hereinafter Janakiraman, (2004/0196785).

Regarding claims 2 and 7, Somekh disclose all the subject matter of the claimed invention with the exception of:

- the first gateway includes a mailbox and an output task, the data packages are transmitted to the mailbox in step (a), and the output task retrieves data packages stored in the mailbox.

Art Unit: 2619

- (g) transmitting acknowledgement messages from the first gateway to the data sources; and (h) counting the acknowledgement messages received at each data source.

Janakiraman from the same or similar fields of endeavor teaches the use of packet buffer and packet sending process, that packet have been buffered, then the process attempts to send these packets, and NumAckPending which if the packet can be sent, then NumAckPending is increment (**see Janakiraman paragraphs 27 and 28**), Thus, it would have been obvious to one of ordinary skill in the art at the time of the invention to use the packet buffer and packet sending process as taught by Janakiraman in the modem relay over packet based network of Somekh in order to reduce the utilization of the network fabric (**see Janakiraman paragraph 6**).

Regarding claims 10 and 15, Somekh teaches software (**see Somekh paragraph 261 software**) and discloses all the subject matter of the claimed invention with the exception of:

- the first gateway includes a mailbox and an output task, the data packages are transmitted to the mailbox in step (a), and the output task retrieves data packages stored in the mailbox.
- (g) transmitting acknowledgement messages from the first gateway to the data sources; and (h) counting the acknowledgement messages received at each data source.

Janakiraman from the same or similar fields of endeavor teaches the use of packet buffer and packet sending process, that packet have been buffered, then the process attempts to send these packets, and NumAckPending which if the packet can be sent, then NumAckPending is increment (**see Janakiraman paragraphs 27 and 28**), Thus, it would have been obvious to one of ordinary skill in the art at the time of the invention to use the packet buffer and packet sending process as taught by Janakiraman in the modem relay over packet based network of Somekh in order to reduce the utilization of the network fabric (**see Janakiraman paragraph 6**).

Regarding claims 18 and 23, Somekh teaches modem (**see Somekh paragraph 130**) and discloses all the subject matter of the claimed invention with the exception of:

- the first gateway includes a mailbox and an output task, the data packages are transmitted to the mailbox in step (a), and the output task retrieves data packages stored in the mailbox.
- (g) transmitting acknowledgement messages from the first gateway to the data sources; and (h) counting the acknowledgement messages received at each data source.

Janakiraman from the same or similar fields of endeavor teaches the use of packet buffer and packet sending process, that packet have been buffered, then the process attempts to send these packets, and NumAckPending which if the packet can be sent, then NumAckPending is increment (**see Janakiraman paragraphs 27 and**

28), Thus, it would have been obvious to one of ordinary skill in the art at the time of the invention to use the packet buffer and packet sending process as taught by Janakiraman in the modem relay over packet based network of Somekh in order to reduce the utilization of the network fabric (**see Janakiraman paragraph 6**).

6. Claims 5, 13, and 21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Somekh in view of Lindhorst-ko et al. (US2002/0075873).

Regarding claim 5, Somekh disclose all the subject matter of the claimed invention with the exception of:

- (g) adding sequence identifiers to the data packages in step (a);
- (h) checking the sequence identifiers added in step (g) at the first gateway;
- (i) adding sequence identifiers to the data packages in step (c); and
- (j) checking the sequence identifiers added in step (i) at the data destinations.

Lindhorst-ko et al. from the same or similar fields of endeavor teaches the use of each data packets for transmission is tagged with a sequence number by the source node. The destination node receives the data packets transmitted over the paths, and reconstructs the traffic from the received data packet (**see Lindhorst-ko et al. paragraph 35 and 36**). Thus, it would have been obvious to one of ordinary skill in the art at the time of the invention to use the tagging data packets with a sequence number, and reconstructing the traffic from the received data packet as taught by Lindhorst-ko et al. in the modem relay over packet based network of Somekh in order to enhance

reliability and implement and is scalable for selectable degrees of reliability against network faults (**see Lindhorst-ko et al. paragraphs 3 and 4**).

Regarding claim 13, Somekh teaches software (**see Somekh paragraph 261 software**) disclose all the subject matter of the claimed invention with the exception of:

- (g) adding sequence identifiers to the data packages in step (a);
- (h) checking the sequence identifiers added in step (g) at the first gateway;
- (i) adding sequence identifiers to the data packages in step (c); and
- (j) checking the sequence identifiers added in step (i) at the data destinations.

Lindhorst-ko et al. from the same or similar fields of endeavor teaches the use of each data packets for transmission is tagged with a sequence number by the source node. The destination node receives the data packets transmitted over the paths, and reconstructs the traffic from the received data packet (**see Lindhorst-ko et al. paragraph 35 and 36**). Thus, it would have been obvious to one of ordinary skill in the art at the time of the invention to use the tagging data packets with a sequence number, and reconstructing the traffic from the received data packet as taught by Lindhorst-ko et al. in the modem relay over packet based network of Somekh in order to enhance reliability and implement and is scalable for selectable degrees of reliability against network faults (**see Lindhorst-ko et al. paragraphs 3 and 4**).

Regarding claim 21, Somekh teaches a modem a modm (**see Somekh paragraph 130**) and disclose all the subject matter of the claimed invention with the exception of:

- (g) adding sequence identifiers to the data packages in step (a);
- (h) checking the sequence identifiers added in step (g) at the first gateway;
- (i) adding sequence identifiers to the data packages in step (c); and
- (j) checking the sequence identifiers added in step (i) at the data destinations.

Lindhorst-ko et al. from the same or similar fields of endeavor teaches the use of each data packets for transmission is tagged with a sequence number by the source node. The destination node receives the data packets transmitted over the paths, and reconstructs the traffic from the received data packet (**see Lindhorst-ko et al. paragraph 35 and 36**). Thus, it would have been obvious to one of ordinary skill in the art at the time of the invention to use the tagging data packets with a sequence number, and reconstructing the traffic from the received data packet as taught by Lindhorst-ko et al. in the modem relay over packet based network of Somekh in order to enhance reliability and implement and is scalable for selectable degrees of reliability against network faults (**see Lindhorst-ko et al. paragraphs 3 and 4**).

Response to Arguments

7. Applicant's arguments with respect to claims 1-24 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

8. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Ben-Yehezkel et al. (US2002/0165973) discloses adaptive transport protocol.

Mostafa (US2002/0073205) discloses communication service

Taguchu et al. (US2004/0024808) discloses wide area storage localization system.

Souder et al. (US6889231) discloses asynchronous information sharing system.

9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Wutchung Chu whose telephone number is 571 270 1411. The examiner can normally be reached on Monday - Friday 1000 - 1500EST.


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Edan D. Orgad can be reached on 571 272 7884. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2619

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/WC/
Wutchung Chu

EDAN . ORGAD
SUPERVISORY PATENT EXAMINER

A handwritten signature in black ink, appearing to read "Eder Orgad", written over the printed name of the examiner.